


## F-tone Networks 10Gbps 40km SFP+ Optical Transceiver FTCS-131X-40DXX

### Features

- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆



### Applications

- ◆
- ◆
- ◆
- ◆

### Product description

## Absolute maximum rating

Parameters	Symbol	Min.	Max.	Unit
				°
				°

## Recommended operating environment

Parameter	Symbol	Min.	Typical	Max	Unit
					°

## Low Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit



F-tone Networks

# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下

## Optical characteristics





Parameter	Symbol	Min.	Typical	Max	Unit	Notes
<b>Transmitter</b>						
<b>Receiver</b>						




Figure 1: Interface to Host PCB




Figure 2: Module Contact Assignment

## Pin definition



F-tone Networks

# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下

---

# 北亿纤通科技有限公司

F-TONE



**Figure5. Mechanical Specifications**

## Regulatory Compliance

Feature	Agency	Standard





F-tone Networks

# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下

## Ordering information

Part Number	Product Description

## References

## Important Notice